

Innovation
Commitment Knowledge
Experience Quality
Precision Performance

Ishida Europe: understanding and tackling the weighing and packing line challenges you face

- Unique engineering expertise, combined with practical industry knowledge in your sector
- Global applications experience, including snacks, meat, poultry, ready meals, fresh produce, dry and frozen foods, bakery, confectionery, pasta and non-food applications
- R&D resources and commitment to support both continuous improvement and major innovation
- Solutions include consultancy and project management, complete packing lines, multihead weighers, traysealers, seal testers, X-Ray and vision inspection systems, snack food bagmakers, checkweighers, traysealers, weigh-batchers and pick-and-place systems.



Working with you every step of the way

Our extensive R&D investment is directed at meeting the challenges of the fast-changing food industry around the globe.

We aim to support our partners fully, from the very start of the buying process, and you will find many equipment brochures, visual animations and case studies available on our website. When you are ready to make contact, a well-resourced network of Ishida companies, distributors and agents, extending across Europe, the Middle East and Africa, can provide advice and organise demonstrations and trials.

Installation is rapid and efficient. For integrated packing lines, we use proven project management techniques and methodologies, tuned to your key objectives and specifications.

A dedicated pan-European service engineering team helps to maximise the performance, functionality and reliability of our installed base. In addition, spares facilities are strategically placed throughout the territory, offering 24-hour delivery in most cases.



helpline • spares • service • training



Ishida Europe Limited
11 Kettles Wood Drive
Woodgate Business Park
Birmingham
B32 3DB
United Kingdom
Tel: +44 (0)121 607 7700
Fax: +44 (0)121 607 7666
info@ishidaeurope.com

Ishida Czech Republic
Tel: +420 317 844 059
Fax: +420 317 844 052
info@ishidaeurope.cz

Ishida Romania
Tel: +40 (0)21 589 73 52
Fax: +40 (0)21 310 34 22
info@ishidaeurope.ro

Ishida France
Tel: +33 (0)1 48 63 83 83
Fax: +33 (0)1 48 63 24 29
info@ishidaeurope.fr

Ishida Russia and CIS
Tel: +7 499 272 05 36
Fax: +7 499 272 05 37
info@ishidaeurope.ru

Ishida Germany
Tel: +49 (0)791 945 160
Fax: +49 (0)791 945 1699
info@ishida.de

Ishida South Africa
Tel: +27 (0)11 976 2010
Fax: +27 (0)11 976 2012
info@ishida.co.za

Ishida Middle East
Tel: +971 (0)4 299 1933
Fax: +971 (0)4 299 1955
ishida@ishida.ae

Ishida Switzerland
Tel: +41 (0)41 799 7999
Fax: +41 (0)41 790 3927
info@ishida.ch

Ishida Netherlands
Tel: +31 (0)499 39 3675
Fax: +31 (0)499 39 1887
info@ishida.nl

SE-series

Entry-level excellence in multihead weighing

Improve performance, reduce risk:
take the Ishida route



SE-series

Multihead weighing brings increased accuracy and speed to the packing of an ever-widening range of products. Ishida is the company that invented the technology, continues to develop it and remains the world brand leader.

So, when you decide to improve yields and productivity by moving up from filling and dosing machines, linear weighers or other slower, less accurate methods, where better to look than Ishida?

Ishida SE Series weighers come at entry-level prices, offering the speed and accuracy you need to reap those multihead benefits. They are simple to learn, operate, clean and maintain.

And, like all Ishida equipment, they'll give you fast payback times followed by years more of reliable performance.



1. High accuracy - low giveaway

Excellent weighing accuracy dramatically reduces product giveaway when compared with conventional filling or dosing machines. The resulting cost savings mean that the average payback period is just a matter of months.



2. Easy operation and setup

The Remote Control Unit (RCU) with 10.4 inch colour touch screen gives a simplified, easy-to-follow operator interface, enabling product quick set-up and rapid product changeovers.




3. Consistent weighing results

A weight sensor in the dispersion table automatically adjusts the product feed, ensuring a consistent supply to the radial feeders. Each feeder can be individually adjusted via the RCU to optimise product feed. High quality stepper motors precisely control hopper gate opening and closing profiles for consistent weighing speed and accuracy.




4. Easy cleaning minimises downtime

All hoppers and radial feeders are interchangeable. This reduces cleaning downtime. Hoppers can be removed and replaced while the weigher is in operation, without interrupting production.



5. Choice of body and contact part finishes

On all models, a choice of flat-surfaced or hex-embossed contact parts is available. For the 10- and 14-head weighers, machine bodies can be painted metal or stainless steel, with an IP65, water-resistant option.



6. Other options

Despite their entry-level cost, SE-Series multihead weighers offer you many options such as printing, inlet chutes, ring gates, timing hoppers and count software. On some models, anti-leak hoppers and a choice of radial feeder types are available.



CCW-SE-210

10-head weighers that bring reliable automation to a huge variety of applications


These Ishida multihead weighers are perfect for automating the packing of dry and processed foods such as snacks, vegetables, nuts, confectionery and pasta, and also non-food items such as small hardware pieces and parts.

Digital weigh-signal filtration helps deliver the celebrated Ishida accuracy that cuts giveaway and improves yield.

Like all the weighers in the SE-Range, they are very easy to operate, with a simple menu-driven interface and up to 50 product presets, allowing very rapid changeovers.

Specifications		
Model	CCW-SE-210W-1S-20-**-	
Weighing Capacity/Range (per single dump)	up to 500g	up to 1000g
Maximum Volume for Weighing (per single dump)	Maximum 3000cc	
Weighing Speed (Max)*	75wpm	
Minimum Graduation	0.1g	0.2g
Touch Screen Display (RCU)	10.4" Colour Display	
Weigh Cell	Double-beam strain gauge load cell	
Number of Presets	50	
Material	Product surfaces are made of stainless steel or other sanitary materials	
Machine Weight	350kg	
Options	Various options are available. Please contact Ishida distributors	
Power Consumption	200 - 240V 0.8kW	

Design and specifications are subject to change without notice.
*Depends on product shape, product density, target weight etc. ** Machine bodies can be painted mild steel (PB) or stainless steel (SS), with an IP65, water-resistant option (WP).



CCW-SE-214

14-head solutions: when picking up the pace is a priority


Offering higher speeds across the same wide range of applications, with no reduction in accuracy, these 14-head models represent a further step into the world of Ishida performance.

These machines use the same easy-to-learn, easy-to-operate interface, helping to ensure that your move to higher packing line speed and efficiency places no excessive demands on your workforce.

As with all Ishida weighers, all load cells are reliable, precise components designed and built by Ishida.

Specifications		
Model	CCW-SE-214W-1S-20-**-	
Weighing Capacity/Range (per single dump)	up to 500g	up to 1000g
Maximum Volume for Weighing (per single dump)	Maximum 3000cc	
Weighing Speed (Max)*	90wpm	
Minimum Graduation	0.1g	0.2g
Touch Screen Display (RCU)	10.4" Colour Display	
Weigh Cell	Double-beam strain gauge load cell	
Number of Presets	50	
Material	Product surfaces are made of stainless steel or other sanitary materials	
Machine Weight	500kg	
Options	Various options are available. Please contact Ishida distributors	
Power Consumption	200 - 240V 1.1kW	

Design and specifications are subject to change without notice.
*Depends on product shape, product density, target weight etc. ** Machine bodies can be painted mild steel (PB) or stainless steel (SS), with an IP65, water-resistant option (WP).



CCW-SE-220

20-head accuracy and speed for higher-volume packing lines

Ideal for the same wide range of applications as the smaller models of the SE range, this high-capacity, double discharge 20-head model will give you all the performance of two separate 10-head models. However it achieves this with only a single infed system, thus saving significantly on the cost of your production line.

Despite representing a major step up in throughput, the CCW-SE-220 shares the simple operator interface and the rugged reliability common to all the SE-Range.

Specifications		
Model	CCW-SE-220W-**-**D-20-PB	
Weighing Capacity/Range (per single dump)	up to 500g	up to 1000g
Maximum Volume for Weighing (per single dump)	Maximum 3000cc (per side)	
Weighing Speed (Max)*	75wpm (per side)	
Minimum Graduation	0.1g	0.2g
Touch Screen Display (RCU)	10.4" Colour Display	
Weigh Cell	Double-beam strain gauge load cell	
Number of Presets	50	
Material	Product surfaces are made of stainless steel or other sanitary materials	
Machine Weight	1050kg	
Options	Various options are available. Please contact Ishida distributors	
Power Consumption	200 - 240V 1.6kW	

Design and specifications are subject to change without notice.
*Depends on product shape, product density, target weight etc. *** Single (1) or split (2) inlet